

GENERAL INFORMATION

Stock Moulding Profiles

Most mouldings shown are readily available and stocked in our warehouse or at one of our vendors. Species readily available consist of **Alder, Cherry, Hickory, Maple, Primed Pine, Primed Poplar, Poplar, Red Oak, Ultra Light Fiberboard, White Pine,** and **Walnut**, depending on the profile. Custom runs of species not stocked are available.

All moulding profiles have been drawn to full scale, accompanied by dimensions.

Random Lengths


All clear species are supplied in random lengths between 3' and 16', depending on the item. Finger-joint material is generally supplied in 14' through 16' lengths, also dependent on the item. Finger-joint items may have up to 5% of the lengths shorter than 14'.

Specified Lengths


Specified lengths are available for an additional up-charge. These up-charges can vary depending on the item. When specified lengths are ordered, we have the option to ship a combination of lengths to achieve the lengths ordered, but you will not be invoiced for more than 10% of the over-shipment. Specified 16' lengths are subject to availability.

Reprinted 03/2020


BACKBANDS




4048-ID-BB
 $1\frac{1}{4}" \times 1\frac{1}{2}"$




4856-ITC-BB
 $1\frac{1}{2}" \times 1\frac{3}{4}"$




3660-BB
 $1\frac{1}{8}" \times 1\frac{7}{8}"$




3248-IT-BB
 $1" \times 1\frac{1}{2}"$




5668-BB
 $1\frac{3}{4}" \times 2\frac{1}{8}"$




3436-BB *
 $1\frac{1}{16}" \times 1\frac{1}{8}"$



123-POP — $1\frac{1}{8}" \times 1\frac{3}{8}"$
 Wainscot Cap *



3652-BB
 $1\frac{1}{8}" \times 1\frac{5}{8}"$




4650-A-BB
 $1\frac{7}{16}" \times 1\frac{9}{16}"$


BACKBANDS

CASINGS


3




2432-EG-BB *
3/4" x 1"




PK553 CAP-POP *
1 1/4" x 1 3/4"




2496-Q-CA - 3/4" x 3"




2488-RD-CA - 3/4" x 2 3/4"




2496-P-CA - 3/4" x 3"




24112-B-CA - 3/4" x 3 1/2"



2488-B-CA - 3/4" x 2 3/4"




24112-RV-CA - 3/4" x 3 1/2"




2472-MW-CA - 3/4" x 2 1/4"


CASINGS




24112-RD-CA — $\frac{3}{4}" \times 3\frac{1}{2}"$




24112-P-CA — $\frac{3}{4}" \times 3\frac{1}{2}"$




24136-E-CA — $\frac{3}{4}" \times 4\frac{1}{4}"$



2472-B-CA — $\frac{3}{4}" \times 2\frac{1}{4}"$




24112-E-CA — $\frac{3}{4}" \times 3\frac{1}{2}"$ *




2488-E-CA — $\frac{3}{4}" \times 2\frac{3}{4}"$

CASINGS


5




24136-RF-CA — $\frac{3}{4}$ " x $4\frac{1}{4}$ "




24104-DD1-CA — $\frac{3}{4}$ " x $3\frac{1}{4}$ "




24112-F-CA — $\frac{3}{4}$ " x $3\frac{1}{2}$ "



1872-A-CA — $\frac{9}{16}$ " x $2\frac{1}{4}$ "
2472-A-CA — $\frac{3}{4}$ " x $2\frac{1}{4}$ "




32112-IT2-CA — 1" x $3\frac{1}{2}$ "



5664-IT2-CA — $1\frac{3}{4}$ " x 2"


CASINGS




24104-C-CA
 $\frac{3}{4}" \times 3\frac{1}{4}"$




2472-C-CA
 $\frac{3}{4}" \times 2\frac{1}{4}"$




24112-R-CA
 $\frac{3}{4}" \times 3\frac{1}{2}"$



24104-R-CA
 $\frac{3}{4}" \times 3\frac{1}{4}"$



E412 E2E PRIMED *
 $1\frac{1}{16}" \times 3\frac{1}{2}"$



472 E2E CLAY COAT *
 $\frac{9}{16}" \times 2\frac{1}{2}"$




453 E2E CLAY COAT *
 $1\frac{1}{16}" \times 2\frac{1}{4}"$




2488-2R18-CA
 $\frac{3}{4}" \times 2\frac{3}{4}"$

CASINGS


7




32136-CA — 1" x 4 1/4"




32112-H-CA — 1" x 3 1/2" *
Poplar & Primed Gesso




24112-CA — 3/4" x 3 1/2" *



2488-CA — 3/4" x 2 3/4" *
Poplar & Primed Gesso




24112-C-CA — 3/4" x 3 1/2" *




40120-CA — 1 1/4" x 3 3/4"


CASINGS




32128-J-CA — 1" x 4"




32128-K-CA — 1" x 4"




32128-L-CA — 1" x 4"



32128-G-CA — 1" x 4"




32128-H-CA — 1" x 4"




32128-I-CA — 1" x 4"

CASINGS


9




245-WP — $1\frac{1}{16}" \times 2\frac{1}{2}"$ *
 245-OAK — $1\frac{1}{16}" \times 2\frac{1}{2}"$ *
 245-PWP — $1\frac{1}{16}" \times 2\frac{1}{2}"$ *




260-WP — $1\frac{1}{16}" \times 2\frac{1}{4}"$ *
 260-PWP — $1\frac{1}{16}" \times 2\frac{1}{4}"$ *




PK131-POP — $1\frac{1}{16}" \times 2\frac{3}{4}"$ *




261-WP — $1\frac{1}{16}" \times 2\frac{1}{4}"$ *
 261-PWP — $1\frac{1}{16}" \times 2\frac{1}{4}"$ *




366-WP — $1\frac{1}{16}" \times 2\frac{1}{4}"$ *
 366-PWP — $1\frac{1}{16}" \times 2\frac{1}{4}"$ *



262-WP — $1\frac{1}{16}" \times 3\frac{1}{2}"$ *
 262-PWP — $1\frac{1}{16}" \times 3\frac{1}{2}"$ *
 262-OAK — $1\frac{1}{16}" \times 3\frac{1}{2}"$ *




453-WP — $1\frac{1}{16}" \times 2\frac{1}{4}"$ *




250 YP COL — $\frac{3}{4}" \times 4\frac{1}{2}"$ *


BASEBOARDS




116-YP *
3/4" x 7"



WM 73-YP-POP
5/8" x 1/8" *
Base cap




115-WP & PWP *
9/16" x 5 1/4"



3248-ITC-BC
1" x 1 1/2"
Base cap




7613-PWP *
9/16" x 5 1/4"



3248-US-BC
1" x 1 1/2"
Base cap




7612-PWP *
9/16" x 4 1/4"



PWP-18104-CB *
9/16" x 3 1/4"




2448-US-BC
3/4" x 1 1/2"
Base cap




PK21-PWP *
5/8" x 5 1/4"

BASEBOARDS


11




22232-CB *
1 1/16" x 7 1/4"




22168-CB *
1 1/16" x 5 1/4"




22136-CB
1 1/16" x 4 1/4"
* (oak)




22104-CB *
1 1/16" x 3 1/4"




432 E2E PRIMED *
9/16" x 3 1/2"



2148-CB
2 1/32" x 1 1/2"
Baseboard Cap




2244-B *
1 1/16" x 1 3/8" (oak)
Baseboard Cap




2488-EJ-CB
3/4" x 2 3/4"
Crown Base


BASEBOARDS



117-WP-PWP *
 $\frac{9}{16}$ " x $\frac{3}{4}$ "




432-WP *
 $\frac{9}{16}$ " x $3\frac{1}{2}$ "




WM623-PWP *
 $\frac{9}{16}$ " x $\frac{3}{4}$ "




118-WP-PWP *
 $\frac{9}{16}$ " x $\frac{3}{4}$ " x 3"




18168-OG-B
 $\frac{9}{16}$ " x $5\frac{1}{4}$ "




18136-OG-B
 $\frac{9}{16}$ " x $4\frac{1}{4}$ "



18104-OG-B
 $\frac{9}{16}$ " x $\frac{3}{4}$ "



18136-R-B
 $\frac{9}{16}$ " x $4\frac{1}{4}$ "



18136-TB
 $\frac{9}{16}$ " x $4\frac{1}{4}$ "


Hyde Park Lumber and Design Center 3360 Red Bank Rd. Cincinnati, OH 45227

Phone (513) 271-1500 Fax (513) 271-6145 www.hydeparklumber.com


Stocked At HPL ★

BASEBOARDS

13





18232-B
 $\frac{9}{16}$ " x $7\frac{1}{4}$ "




18168-B *
 $\frac{9}{16}$ " x $5\frac{1}{4}$ "


16104-B
 $\frac{1}{2}$ " x $3\frac{1}{4}$ "



18136-B *
 $\frac{9}{16}$ " x $4\frac{1}{4}$ "




22232-E-B
 $1\frac{1}{16}$ " x $7\frac{1}{4}$ "




22168-E-B
 $1\frac{1}{16}$ " x $5\frac{1}{4}$ "


BASEBOARDS




20232-1R18-B
 $\frac{5}{8}" \times 7\frac{1}{4}"$




14168-B14-B
 $\frac{7}{16}" \times 5\frac{1}{4}"$




20168-1R18-B
 $\frac{5}{8}" \times 5\frac{1}{4}"$




20168-BD-B
 $\frac{5}{8}" \times 5\frac{1}{4}"$



L 514 E1E PRIMED *
 $\frac{9}{16}" \times 5\frac{1}{4}"$




14104-B14-B
 $\frac{7}{16}" \times 3\frac{1}{4}"$




433E E1E CLAY COAT
 $\frac{9}{16}" \times 3\frac{1}{4}"$

BASEBOARDS


15




1723-BD-BC
17/32" x 23/32" Base Cap




24112-BD-B
3/4" x 3 1/2"




24168-BD-B
3/4" x 5 1/4"



24232-BD-B
3/4" x 7 1/4"



20232-BD-B
5/8" x 7 1/4"




618-WP & PWP
9/16" x 5 1/4" *

Hyde Park Lumber and Design Center 3360 Red Bank Rd. Cincinnati, OH 45227


Phone (513) 271-1500 Fax (513) 271-6145 www.hydeparklumber.com

Stocked At HPL ★


CHAIR RAILS




22104-CH*
 $1\frac{1}{16}" \times 3\frac{1}{4}"$




16104-CH*
 $\frac{1}{2}" \times 3\frac{1}{4}"$



2288-CH
 $1\frac{1}{16}" \times 2\frac{3}{4}"$




112-WP-PWP*
 $1\frac{1}{16}" \times 2\frac{5}{8}"$




32104-CH
 $1" \times 3\frac{1}{4}"$

PANEL MOULDS


17




3264-PR *
1" x 2"




2664-P *
1 3/16" x 2"




2424-R-WP-POP *
3/4" x 3/4"




2664-PR *
1 3/16" x 2"




WP391*
1 1/16" x 2 1/4"




2428-ITC-PM
3/4" x 7/8"




1224-KR
3/8" x 3/4"




2464-PM Can be positioned to accommodate
3/4" x 2" a thickness of 3/16" to 3/4".



2232-TM
1 1/16" x 1"



1632-CK-PM
1/2" x 1"




2256-IT-PM — 1 1/16" x 1 3/4"
Panel Mould



263-WP — 3/8" x 1 1/8" *
Panel Moulding

CROWNS




35-WP *
35-PWP
 $1\frac{1}{16}" \times 5\frac{1}{4}"$

38-YP *
 $\frac{3}{4}" \times 4\frac{3}{8}"$

36-PWP-WP *
 $\frac{9}{16}" \times 4\frac{1}{4}"$


34-PWP-WP-POP *
 $1\frac{1}{16}" \times 3\frac{1}{4}"$



66-PWP-WP *
 $\frac{9}{16}" \times 1\frac{3}{4}"$

33-YP *
 $1\frac{1}{16}" \times 2\frac{1}{4}"$

COVE MOULDS



L 46 CLAY COAT *
 $\frac{9}{16}" \times 5\frac{1}{4}"$


62-WP *
 $1\frac{1}{16}" \times 1\frac{1}{16}"$

200-OAK *
 $\frac{1}{2}" \times \frac{3}{4}"$


61-WP *
 $1\frac{1}{16}" \times 1\frac{1}{8}"$

CROWNS


19




20104-B-CR*
5/8" x 3 1/4"




32232-B-CR
1" x 7 1/4"



84-PINE*
9/16" x 2 1/4"




20168-B-CR
5/8" x 5 1/4"




20136-B-CR(oak)*
5/8" x 4 1/4"


CROWNS



24104-ITC-CR
 $\frac{3}{4}" \times 3\frac{1}{4}"$




24136-CV-CR
 $\frac{3}{4}" \times 4\frac{1}{4}"$



24168-WHI-CR1
 $\frac{3}{4}" \times 5\frac{1}{4}"$

CROWNS & CROWN BACKERS

21




Hyde Park Lumber and Design Center 3360 Red Bank Rd. Cincinnati, OH 45227


Phone (513) 271-1500 Fax (513) 271-6145 www.hydeparklumber.com

Stocked At HPL★


CROWNS




1857-CR
 $\frac{9}{16}$ " x $12\frac{5}{32}$ "




32232-A-CR
1" x $7\frac{1}{4}$ "



24136-RD-CR
 $\frac{3}{4}$ " x $4\frac{1}{4}$ "




24168-QA-CR
 $\frac{3}{4}$ " x $5\frac{1}{4}$ "



2488-A-CR*
 $\frac{3}{4}$ " x $2\frac{3}{4}$ "

DENTIL CROWNS

23




Hyde Park Lumber and Design Center 3360 Red Bank Rd. Cincinnati, OH 45227


Phone (513) 271-1500 Fax (513) 271-6145 www.hydeparklumber.com

Stocked At HPL ★

CROWNS




26168-C-CR *
 $1\frac{3}{16}$ " x $5\frac{1}{4}$ "




24136-C-CR *
 $\frac{3}{4}$ " x $4\frac{1}{4}$ "


DENTILS



1620-I-D
 $\frac{1}{2}$ " x $\frac{5}{8}$ "




2460-CUT-D
 $\frac{3}{4}$ " x $1\frac{7}{8}$ "



2460-ROUT-D
 $\frac{3}{4}$ " x $1\frac{7}{8}$ "

STOOLS


25



40104-STOOL $1\frac{1}{4}$ " x $3\frac{1}{4}$ "



1014-WP— $1\frac{1}{16}$ " x $2\frac{1}{4}$ " *
 Andersen Stool




24136-STOOL — $\frac{3}{4}$ " x $4\frac{1}{4}$ " *




2472-A-STOOL — $\frac{3}{4}$ " x $2\frac{1}{4}$ " *


BED MOULDS



166-WP & PWP
BORAL
 $1\frac{1}{16}" \times 1\frac{1}{4}"$



167-POP
 $1\frac{1}{16}" \times 1\frac{3}{4}"$



2448-BM-POP
 $\frac{3}{4}" \times 1\frac{1}{2}"$

HALF ROUNDS




145-WP *
 $\frac{1}{4}" \times \frac{9}{16}"$




146-WP *
 $\frac{3}{8}" \times \frac{3}{4}"$



1224-T
 $\frac{3}{8}" \times \frac{3}{4}"$




144-WP *
 $\frac{1}{2}" \times 1"$




2448-HR *
 $\frac{3}{4}" \times 1\frac{1}{2}"$

SHOE MOULDS



109-WP-OAK *
 $\frac{1}{2}" \times \frac{3}{4}"$



111-WP-White & Red Oak *
PWP $\frac{3}{4}" \times \frac{3}{4}"$



816-WP *
 $\frac{3}{8}" \times 1\frac{3}{8}"$


QUARTER ROUNDS




139-WP *
 $\frac{1}{4}" \times \frac{1}{4}"$




1212-Q -POP *
 $\frac{3}{8}" \times \frac{3}{8}"$




140-WP *
 $\frac{1}{2}" \times \frac{1}{2}"$



CLAY COAT *
 $\frac{5}{8}" \times \frac{5}{8}"$




142-WP *
 $\frac{3}{4}" \times \frac{3}{4}"$




143-POP *
 $1" \times 1"$

MULLS


27




864-M — $\frac{1}{4}$ " x 2"




856-M — $\frac{1}{4}$ " x $1\frac{3}{4}$ "




848-M — $\frac{1}{4}$ " x $1\frac{1}{2}$ "



840-M — $\frac{1}{4}$ " x $1\frac{1}{4}$ " *




832-M — $\frac{1}{4}$ " x 1"




193-WP — $\frac{3}{8}$ " x $1\frac{3}{4}$ " *
Mull Strip


STOPS




1256-STOP — $\frac{3}{8}$ " x $1\frac{3}{4}$ "




1234-STOP — $\frac{3}{8}$ " x $1\frac{1}{16}$ "




1026-STOP — $\frac{5}{16}$ " x $1\frac{3}{16}$ "




1144-STOP — $1\frac{1}{32}$ " x $1\frac{3}{8}$ " *




1644-KW-STOP — $\frac{1}{2}$ " x $1\frac{3}{8}$ "



1640-STOP —
 $\frac{1}{2}$ " x $1\frac{1}{4}$ " *




110-WP — $\frac{7}{16}$ " x $1\frac{1}{8}$ " *
Stop Moulding




176-WP-PWP — $\frac{7}{16}$ " x $1\frac{3}{8}$ " *
Door Stop


TRIM




1840
 $\frac{9}{16}$ " x $1\frac{1}{4}$ "




2424-Q(oak)*
 $\frac{3}{4}$ " x $\frac{3}{4}$ "




2323-BEAD*
 $2\frac{3}{32}$ " x $2\frac{3}{32}$ "



1416-GB*
 $\frac{7}{16}$ " x $\frac{1}{2}$ "




1846 Oak & Poplar*
 $\frac{9}{16}$ " x $1\frac{7}{16}$ "




1624-A Oak & Poplar*
 $\frac{1}{2}$ " x $\frac{3}{4}$ "



2424-I
 $\frac{3}{4}$ " x $\frac{3}{4}$ "




1624-C(oak)*
 $\frac{1}{2}$ " x $\frac{3}{4}$ "




1648
 $\frac{1}{2}$ " x $1\frac{1}{2}$ "




1212-Q (138-A)*
 $\frac{3}{8}$ " x $\frac{3}{8}$ "




2024*
 $\frac{5}{8}$ " x $\frac{3}{4}$ "



2424-O
 $\frac{3}{4}$ " x $\frac{3}{4}$ "




2048-KW-PM*
 $\frac{5}{8}$ " x $1\frac{1}{2}$ "



2424-C
 $\frac{3}{4}$ " x $\frac{3}{4}$ "




1624
 $\frac{1}{2}$ " x $\frac{3}{4}$ "



3636-O*
 $1\frac{1}{8}$ " x $1\frac{1}{8}$ "

MISCELLANEOUS MOULDINGS

29



42-WP — $\frac{1}{4}$ " x $\frac{3}{4}$ " *
Screen Mould




44-WP — $\frac{1}{4}$ " x $\frac{3}{4}$ " *
Screen Mould



816-MAP
 $\frac{1}{4}$ " x $\frac{1}{2}$ "




43-WP — $\frac{3}{8}$ " x $\frac{3}{4}$ " *
Screen Mould




2-WP — $\frac{9}{32}$ " x $1\frac{1}{8}$ " *
Lattice



624-POP
 $\frac{3}{16}$ " x $\frac{3}{4}$ "



3-WP — $\frac{9}{32}$ " x $1\frac{3}{8}$ " *
Lattice




9445-POP *
9446-R. OAK
 $\frac{3}{16}$ " x $\frac{3}{4}$ " — Scribe *




4-WP — $\frac{9}{32}$ " x $1\frac{3}{4}$ " *
Lattice



32 PRIMED PINE *
 $1\frac{1}{16}$ " x $1\frac{5}{8}$ "
Barge Mould



31 PRIMED PINE *
 $1\frac{1}{16}$ " x $2\frac{1}{4}$ "
Barge Mould




30-RDWD *
 $1\frac{1}{16}$ " x $3\frac{1}{2}$ "




265-WP — $\frac{9}{32}$ " x 2" *
Lattice



249-PWP — $1\frac{1}{16}$ " x $1\frac{5}{8}$ " *
Shelf Cleat



8 FIR — $1\frac{3}{8}$ " x $1\frac{3}{8}$ " *




POP — $1\frac{3}{4}$ " x $1\frac{3}{4}$ " *




5-WP — $\frac{1}{2}$ " x $\frac{3}{4}$ " *
Parting Stop


MISCELLANEOUS MOULDINGS



K-404-YP – $\frac{3}{4}$ " x $2\frac{1}{4}$ " *
Picture Mould



4040-ROD – $1\frac{1}{4}$ " Diameter
Closet Rod




149-ASH – $1\frac{1}{4}$ " Diameter *
Hardwood Rod




165-WP – $\frac{7}{16}$ " x $\frac{9}{16}$ " *
Glass Bead




177A-WP – $\frac{1}{2}$ " x $1\frac{1}{8}$ " *
Cap Mould




193-WP – $\frac{3}{8}$ " x $1\frac{3}{4}$ " *
Mull Strip




WM953-YP – $\frac{1}{2}$ " x $1\frac{1}{2}$ " *
Beaded Stop




83-PWP – $1\frac{1}{4}" \times 2"$ *
Brick Moulding




1124-ROPE
 $1\frac{1}{32}" \times \frac{3}{4}"$




512-ROPE
 $\frac{5}{32}" \times \frac{3}{8}"$




1724-ROPE
 $1\frac{7}{32}" \times \frac{1}{2}"$



K-6035
 $1\frac{1}{2}" \times 5\frac{1}{2}"$




85-PWP – $1\frac{1}{16}" \times 1\frac{5}{8}"$ *
Drip Cap



2488-KW-PR
 $\frac{3}{4}" \times 2\frac{3}{4}"$


MISCELLANEOUS MOULDINGS




251-YP — $1\frac{5}{16}$ " x $1\frac{7}{8}$ "
Dust Cap *




5117-YP — $1\frac{5}{16}$ " x 2"
Dust Cap *




WOHC001 — $1\frac{5}{16}$ " x $2\frac{1}{4}$ "
Primed Dust Cap *




204-WP
 $1\frac{5}{16}$ " x $1\frac{5}{16}$ "
Outside Corner




190-WP *
 $1\frac{1}{8}$ " x $1\frac{1}{8}$ "
Outside Corner




191-WP *
 $\frac{3}{4}$ " x $\frac{3}{4}$ "
Outside Corner



K-8090 - $\frac{3}{4}$ 1" x $3\frac{1}{2}$ "
Oak Landing Tread *




K-8080 — $1\frac{1}{32}$ " x $1\frac{1}{4}$ "
Oak Nosing




K-8590 - $\frac{3}{4}$ — 1" x $5\frac{1}{4}$ "
Oak Landing Tread *


MANTEL MOULDING




54168-A-MM
 $1\frac{1}{6}" \times 5\frac{1}{4}"$




6010-NU— $2\frac{1}{4}" \times 2\frac{3}{8}"$ *



186 FIR— $1\frac{1}{2}" \times 1\frac{3}{4}"$ *



230 FIR— $1\frac{1}{4}" \times 2"$ *



RW-PORCH RAIL — $1\frac{1}{2}" \times 3\frac{1}{2}"$ *


BORAL TRU EXTERIOR TRIM

Boral TruExterior Trim


Also available in 1x 5/4 & 2x




1x6 T&G BEADED BORAL *




BORAL CROWN *
1 1/16" x 2 3/4" x 8'




BORAL BARGE MOULD
1 1/16" x 1 5/8"




BORAL DRIP CAP *
1 1/16" x 1 5/8" x 8'




BORAL DRIP CAP *
1 5/16" x 2 1/4" x 8'




BORAL BED *
1 1/16" x 1 1/4"



BORAL QTR. *
1 1/16" x 1 1/16" x 8'




BORAL SCOTIA *
1 1/16" x 1 1/16" x 8'




BORAL BRICK MOULDING *
1 7/16" x 2 1/4" x 8'

TONGUE & VEE GROOVES


35



$\frac{3}{4}$ " x $5\frac{3}{8}$ " YP SIDING #104 *




1 x 6 T&G PLANK BACK V-EDGE CLEAR YELLOW PINE *



1 x 6 T&G #2 PINE *




1 x 6 T&G CEDAR (DRIED) *



1 x 6 T&G CLEAR PINE BEADED *


1 x10 CEDAR *
CHANNEL RUSTIC




TONGUE & VEE GROOVES




$\frac{3}{4}$ " x $3\frac{1}{4}$ " Fir Flooring * $\frac{5}{8}$ " x $3\frac{1}{4}$ " YP Flooring




$\frac{9}{16}$ " x $3\frac{1}{4}$ " YP & Fir Beaded Ceiling *



$\frac{9}{16}$ " x $3\frac{1}{4}$ " Mahogany Beaded Ceiling T & VG *




$\frac{3}{4}$ " x 3" Bead




$\frac{3}{4}$ " x $3\frac{1}{2}$ " Mahogany T & G Flooring *



$\frac{3}{8}$ " x 3" Bead



$\frac{5}{16}$ " x $3\frac{1}{2}$ " Edge-V Knotty Pine



$\frac{9}{16}$ " x $3\frac{1}{4}$ " Treated Radiata Pine Primed Beaded Ceiling *

TONGUE & VEE GROOVES

37




$\frac{3}{4}$ " x 5" Tongue & Vee Groove



$\frac{3}{4}$ " x 4" Tongue & Vee Groove




$\frac{3}{4}$ " x 3" Tongue & Vee Groove




1 x 4 YP REVERSIBLE CEILING / FLOORING



24224-QRK-TAG $\frac{3}{4}$ " x 7" (face) Tongue & Groove



1 x 10 NICKEL GAP SHIP LAP PRIMED (Actual size $\frac{9}{16}$ " X $9 \frac{3}{8}$ ") *



1 x 8 NICKEL GAP SHIP LAP KNOTTY PINE (Actual size $\frac{9}{16}$ " X $7 \frac{1}{8}$ ") *




1 x 8 PRIMED REVERSABLE NICKEL GAP (Actual size $\frac{3}{4}$ " X $7 \frac{1}{4}$ ") *
WOSN8TR - 1- SIDE SMOOTH 1-SIDE ROUGH SAWN

Hyde Park Lumber and Design Center 3360 Red Bank Rd. Cincinnati, OH 45227

Phone (513) 271-1500 Fax (513) 271-6145 www.hydeparklumber.com

Stocked At HPL *

TONGUE & VEE GROOVES




1 x 8 T&G #2 PINE *



P508-WP—1 x 8 #2 WP VERTICAL SIDING



1 x 8 T&G PLANK BACK V-EDGE CLEAR YELLOW PINE *




1 x 6 CLEAR YELLOW PINE CAR SIDING W / CENTER V-GROOVE *

BARN SIDING



1 x 8 T&G PRE FINISHED BARN SIDING V GROOVE FACE




1 x 8 T&G PRE FINISHED BARN SIDING PLANK FACE *

Hyde Park Lumber and Design Center 3360 Red Bank Rd. Cincinnati, OH 45227

Phone (513) 271-1500 Fax (513) 271-6145 www.hydeparklumber.com


Stocked At HPL *




18M136-E-CA—18mm x 4¼"




18M72-A-CA—18mm x 2¼"




18M112-E-CA—18mm x 3½"




18M88-CA—18mm x 2¾"




18M112-CA—18mm x 3½"




18M112-UL-CA—18mm x 3½"



18M112-C-CA—18mm x 3½"




21112-PL-CA—21/32" x 3½"




25M112-CA—25mm x 3½"


PRIMED ULTRA LIGHT



WC16
15mm x 5"




SBW4 MDF Wainscoting *
19/32 x 5 1/4 Reversible
Single T&V Groove / T&V Beaded




25M112-H-CA
25mm x 3 1/2"

PRIMED ULTRA LIGHT


41




15M96-TVG-BD
15mm x 3" FACE



15M232-CB
15mm x 7¼"




15M168-CB
15mm x 5¼"



15M136-CB
15mm x 4¼"




15M48-CB-CAP
15mm x 1½"




15M104-CB
15mm x 3¼"


PRIMED ULTRA LIGHT




15M232-E-B
15mm x 7 $\frac{1}{4}$ "




15M168-E-B
15mm x 5 $\frac{1}{4}$ "




15M136-E-B
15mm x 4 $\frac{1}{4}$ "




18168-PL-B
9 $\frac{1}{16}$ " x 5 $\frac{1}{4}$ "




PRIMED ULTRA LIGHT







DECORATIVE CROWN CORNER BLOCKS




POP 112-RD-ICB 412
 $3\frac{1}{2}'' \times 3\frac{1}{2}'' \times 4\frac{1}{2}''$



POP 128-RD-ICB 5
 $4'' \times 4'' \times 5''$




POP 144-RD-ICB 512
 $4\frac{1}{2}'' \times 4\frac{1}{2}'' \times 5\frac{1}{2}''$




POP 176-RD-ICB 612
 $5\frac{1}{2}'' \times 5\frac{1}{2}'' \times 6\frac{1}{2}''$

BLOCKS


47




Circle Casing Block *




Casing Block




Keystone



Inside Corner Block *




Outside Corner Block *




Plynth Block *


JAMBS & ACCESSORIES




Flat Jamb *




4064-BR — $1\frac{1}{4}$ " x 2"




Reeded Jamb *




4072-T — $1\frac{1}{4}$ " x $2\frac{1}{4}$ "




Fluted Jamb *




Raised Panel Jamb




2244-B *
 $1\frac{1}{16}" \times 1\frac{3}{8}"$
 SMOOTH




1624-A *
 $\frac{1}{2}" \times \frac{3}{4}"$
 SMOOTH



111-OAK *
 $\frac{3}{4}" \times \frac{3}{4}"$
 OAK GRAIN




83- $1\frac{1}{4}" \times 2"$ *
 Brick Moulding 3' & 6' Diameter 1/2 Round



$\frac{3}{4}" \times 5\frac{1}{2}" \times R/L$ SMOOTH

Over 3000 different casings, base and crown profiles available. In addition to the stock items listed above, many items are available for quick delivery.

PVC MOULDINGS




Hyde Park Lumber and Design Center 3360 Red Bank Rd. Cincinnati, OH 45227

Phone (513) 271-1500 Fax (513) 271-6145 www.hydeparklumber.com


Stocked At HPL *

PVC MOULDINGS


51




AZM-6934 *
2 $\frac{1}{16}$ " x 1 $\frac{3}{32}$ "



AZM-6930 *
1 $\frac{3}{4}$ " x 2 $\frac{1}{32}$ "




AZM-6933 *
1 $\frac{7}{32}$ " x 1 $\frac{1}{2}$ "




AZM-287 *
1 $\frac{1}{16}$ " x 2"




AZM-197 *
1 $\frac{1}{16}$ " x 1 $\frac{5}{8}$ "




AZM-180 *
1 $\frac{1}{4}$ " x 2"




$\frac{5}{8}$ " x 4" Beaded Ceiling




AZM-236 *
1 $\frac{1}{2}$ " x 1 $\frac{1}{2}$ "



AZM-284
1" x 2 $\frac{1}{4}$ "





9469-Exterior Sill *




9470-Sill Nose *


PVC MOULDINGS




AZM-606
 $1\frac{5}{16}" \times 5\frac{1}{4}"$



AZM-6216
 $2\frac{13}{32}" \times 1" \times \frac{7}{8}"$




AZM-163
 $\frac{3}{4}" \times 5\frac{1}{4}"$




AZM-6937
 $2\frac{3}{4}" \times 1\frac{3}{8}"$


ROYAL MOULDINGS



COLONIAL CASING — $1\frac{1}{16}" \times 2\frac{1}{4}"$



STOP — $\frac{5}{8}" \times \frac{5}{8}"$ *




QUARTER ROUND *

$\frac{1}{2}" \times \frac{1}{2}"$




BEAD *

$\frac{1}{2}" \times 1\frac{3}{32}"$



4096-BAR— $1\frac{1}{4}$ " x 3"


56144-BAR— $1\frac{3}{4}$ " x $4\frac{1}{2}$ "



Arched casings and convex or concave bases, crowns and chair rails are available in various profiles on a per order basis.

PEDIMENT HEAD DESIGN IDEAS

Adding a pediment head is a simple way to dramatically transform any architectural door or window opening.



Choose from a variety of S4S widths to create a pediment appropriate for your individual ceiling height.