

GENERAL INFORMATION

Stock Moulding Profiles

Most mouldings shown are readily available and stocked in our warehouse or at one of our vendors. Species readily available consist of **Alder, Cherry, Hickory, Maple, Primed Pine, Primed Poplar, Poplar, Red Oak, Ultra Light Fiberboard, White Pine,** and **Walnut**, depending on the profile. Custom runs of species not stocked are available.

All moulding profiles have been drawn to full scale, accompanied by dimensions.

Random Lengths


All clear species are supplied in random lengths between 3' and 16', depending on the item. Finger-joint material is generally supplied in 14' through 16' lengths, also dependent on the item. Finger-joint items may have up to 5% of the lengths shorter than 14'.

Specified Lengths


Specified lengths are available for an additional up-charge. These up-charges can vary depending on the item. When specified lengths are ordered, we have the option to ship a combination of lengths to achieve the lengths ordered, but you will not be invoiced for more than 10% of the over-shipment. Specified 16' lengths are subject to availability.

Reprinted 11/2024


BACKBANDS




4048-ID-BB
1¼" x 1½"




4856-ITC-BB
1½" x 1¾"




3660-BB
1⅛" x 1⅞"




3248-IT-BB
1" x 1½"




5668-BB
1¾" x 2⅛"



3436-BB POP *
1⅛" x 1⅛"




3652-BB POP *
1⅛" x 1⅝"




4650-A-BB
1⅞" x 1⅞"

CASINGS


3




2432-EG-BB POP * $\frac{3}{4}" \times 1"$




PK553 CAP-POP * $1\frac{1}{4}" \times 1\frac{3}{4}"$




2496-Q-CA — $\frac{3}{4}" \times 3"$




2496-P-CA — $\frac{3}{4}" \times 3"$




24112-B-CA — $\frac{3}{4}" \times 3\frac{1}{2}"$



2488-B-CA — $\frac{3}{4}" \times 2\frac{3}{4}"$




24112-RV-CA — $\frac{3}{4}" \times 3\frac{1}{2}"$




2472-MW-CA — $\frac{3}{4}" \times 2\frac{1}{4}"$


CASINGS




24112-RD-CA — $\frac{3}{4}" \times 3\frac{1}{2}"$




24112-P-CA — $\frac{3}{4}" \times 3\frac{1}{2}"$




24136-E-CA — $\frac{3}{4}" \times 4\frac{1}{4}"$



2472-B-CA — $\frac{3}{4}" \times 2\frac{1}{4}"$




24112-E-CA — $\frac{3}{4}" \times 3\frac{1}{2}"$
PFJ * POP *




2488-E-CA — $\frac{3}{4}" \times 2\frac{3}{4}"$

CASINGS


5




24136-RF-CA — $\frac{3}{4}$ " x $4\frac{1}{4}$ "



24104-DD1-CA — $\frac{3}{4}$ " x $3\frac{1}{4}$ "




PWP-WM444 — $2\frac{1}{32}$ " x $3\frac{1}{2}$ " *




1872-A-CA — $\frac{9}{16}$ " x $2\frac{1}{4}$ "

WM-356 — $1\frac{1}{16}$ " x $2\frac{1}{4}$ "

2472-A-CA — $\frac{3}{4}$ " x $2\frac{1}{4}$ "




32112-IT2-CA — 1" x $3\frac{1}{2}$ "




5664-IT2-CA — $1\frac{3}{4}$ " x 2"


CASINGS




24104-C-CA
 $\frac{3}{4}" \times \frac{3}{4}"$




2472-C-CA
 $\frac{3}{4}" \times 2\frac{1}{4}"$




24112-R-CA
 $\frac{3}{4}" \times 3\frac{1}{2}"$



24104-R-CA
 $\frac{3}{4}" \times 3\frac{1}{4}"$



E412 E2E PWP *
 $1\frac{1}{16}" \times 3\frac{1}{2}"$



472 E2E PWP *
 $\frac{9}{16}" \times 2\frac{1}{2}"$




453 E2E PWP *
 $1\frac{1}{16}" \times 2\frac{1}{4}"$




2488-2R18-CA
 $\frac{3}{4}" \times 2\frac{3}{4}"$

CASINGS


7




32136-CA — 1" x 4¼"




32112-H-CA — 1" x 3½" POP *




24112-CA — ¾" x 3½" POP *
PWP *



2488-CA — ¾" x 2¾" POP *
PWP *




24112-C-CA — ¾" x 3½" PFJ *




40120-CA — 1¼" x 3¾"


CASINGS




32128-J-CA - 1" x 4"




32128-K-CA - 1" x 4"




32128-T-CA - 1" x 4"



32128-G-CA - 1" x 4"




32128-H-CA - 1" x 4"




32128-I-CA - 1" x 4"

CASINGS


9




245-WP — $1\frac{1}{16}" \times 2\frac{1}{2}"$ *
 245-OAK — $1\frac{1}{16}" \times 2\frac{1}{2}"$ *
 245-PWP — $1\frac{1}{16}" \times 2\frac{1}{2}"$ *




260-WP — $1\frac{1}{16}" \times 2\frac{1}{4}"$ *
 260-PWP — $1\frac{1}{16}" \times 2\frac{1}{4}"$ *




PK131-POP — $1\frac{1}{16}" \times 2\frac{3}{4}"$ *




261-WP — $1\frac{1}{16}" \times 2\frac{1}{4}"$ *
 261-PWP — $1\frac{1}{16}" \times 2\frac{1}{4}"$ *




366-WP — $1\frac{1}{16}" \times 2\frac{1}{4}"$ *
 366-PWP — $1\frac{1}{16}" \times 2\frac{1}{4}"$ *



262-WP — $1\frac{1}{16}" \times 3\frac{1}{2}"$ *
 262-PWP — $1\frac{1}{16}" \times 3\frac{1}{2}"$ *
 262-OAK — $1\frac{1}{16}" \times 3\frac{1}{2}"$ *





453-WP — $1\frac{1}{16}" \times 2\frac{1}{4}"$ *




250 YP COL — $\frac{3}{4}" \times 4\frac{1}{2}"$ *


BASEBOARDS



WM 73-YP-POP
5/8" x 1/8"
Base cap



3248-ITC-BC
1" x 1 1/2"
Base cap



3248-US-BC
1" x 1 1/2"
Base cap




2448-US-BC
3/4" x 1 1/2"
Base cap



116-YP * 115-WP & PWP * 7613-PWP * 7612-PWP * 18104-CB PWP * PK21-PWP *
3/4" x 7" 9/16" x 5 1/4" 9/16" x 5 1/4" 9/16" x 4 1/4" 9/16" x 3 1/4" 5/8" x 5 1/4"

BASEBOARDS


11




22232-CB
 $1\frac{1}{16}" \times 7\frac{1}{4}"$
 POP *
 PFJ *





22168-CB POP *
 $1\frac{1}{16}" \times 5\frac{1}{4}"$




22136-CB POP *
 $1\frac{1}{16}" \times 4\frac{1}{4}"$




22104-CB * HISTORICAL CAP YP *
 $1\frac{1}{16}" \times 3\frac{1}{4}"$ $1\frac{1}{16}" \times 3\frac{5}{8}"$
 POP



2148-CB
 $2\frac{1}{32}" \times 1\frac{1}{2}"$
 Baseboard Cap




2244-B POP *
 $1\frac{1}{16}" \times 1\frac{3}{8}"$
 Baseboard Cap




2488-EJ-CB
 $\frac{3}{4}" \times 2\frac{3}{4}"$
 Crown Base


BASEBOARDS



117-WP*PWP *
 $\frac{9}{16}$ " x $3\frac{1}{4}$ "




432-WP *
 $\frac{9}{16}$ " x $3\frac{1}{2}$ "




WM623-PWP *
 $\frac{9}{16}$ " x $3\frac{1}{4}$ "




118-WP*PWP *
 $\frac{9}{16}$ " x $3\frac{1}{4}$ " x 3"




18168-OG-B
 $\frac{9}{16}$ " x $5\frac{1}{4}$ "



18136-OG-B
 $\frac{9}{16}$ " x $4\frac{1}{4}$ "



18104-OG-B
 $\frac{9}{16}$ " x $3\frac{1}{4}$ "



18136-TB
 $\frac{9}{16}$ " x $4\frac{1}{4}$ "


Hyde Park Lumber and Design Center 3360 Red Bank Rd. Cincinnati, OH 45227

Phone (513) 271-1500 Fax (513) 271-6145 www.hydeparklumber.com


stocked at HPL★

BASEBOARDS


13




18232-B
 $\frac{9}{16}$ " x $7\frac{1}{4}$ "




18168-B
 $\frac{9}{16}$ " x $5\frac{1}{4}$ "
 POP * PFJ *




16104-B
 $\frac{1}{2}$ " x $3\frac{1}{4}$ "



18136-B
 $\frac{9}{16}$ " x $4\frac{1}{4}$ "
 POP * PFJ *




22232-E-B
 $1\frac{1}{16}$ " x $7\frac{1}{4}$ "




22168-E-B
 $1\frac{1}{16}$ " x $5\frac{1}{4}$ "


BASEBOARDS




20232-1R18-B
 $\frac{5}{8}" \times 7\frac{1}{4}"$




14168-1B14-B
 $\frac{7}{16}" \times 5\frac{1}{4}"$




20168-1R18-B
 $\frac{5}{8}" \times 5\frac{1}{4}"$




618-WP *PWP *
 $\frac{9}{16}" \times 5\frac{1}{4}"$



17168-1R18-B PWP
 $\frac{9}{16}" \times 5\frac{1}{4}"$ *




14104-1B14-B
 $\frac{7}{16}" \times 3\frac{1}{4}"$




433E E1E PWP *
 $\frac{9}{16}" \times 3\frac{1}{4}"$

BASEBOARDS


15




1723-BD-BC
17/32" x 23/32" Base Cap




24112-BD-B
3/4" x 3 1/2"




24168-BD-B
3/4" x 5 1/4"



24232-BD-B
3/4" x 7 1/4"



20232-BD-B
5/8" x 7 1/4"




20168-BD-B
5/8" x 5 1/4"
20136-BD-B
5/8" x 4 1/4"

Hyde Park Lumber and Design Center 3360 Red Bank Rd. Cincinnati, OH 45227


Phone (513) 271-1500 Fax (513) 271-6145 www.hydeparklumber.com

stocked at HPL ★


CHAIR RAILS




22104-CH POP *
 $1\frac{1}{16}" \times 3\frac{1}{4}"$




16104-CH POP *
 $\frac{1}{2}" \times 3\frac{1}{4}"$



2288-CH
 $1\frac{1}{16}" \times 2\frac{3}{4}"$




112-WP * PWP *
 $1\frac{1}{16}" \times 2\frac{5}{8}"$




32104-CH
 $1" \times 3\frac{1}{4}"$

PANEL MOULDS


17




3264-PR POP *
1" x 2"




2664-P POP *
1 3/16" x 2"




2424-R-WP * POP *
3/4" x 3/4"




2664-PR POP *
1 3/16" x 2"




2428-ITC-PM
3/4" x 7/8"




2232-TM
1 1/16" x 1"




1632-CK-PM
1/2" x 1"



1224-KR
3/8" x 3/4"



2464-PM Can be positioned to accommodate
3/4" x 2" a thickness of 3/16" to 3/4".





2256-IT-PM — 1 1/16" x 1 3/4"
Panel Mould




263-WP — 3/8" x 1 1/8"
Panel Moulding *

CROWNS




COVE MOULDS




CROWNS


19




20104-B-CR
5/8" x 3 1/4"
POP *




32232-B-CR
1" x 7 1/4"



84-WP *
9/16" x 2 1/4"




20168-B-CR
5/8" x 5 1/4"




20136-B-CR
5/8" x 4 1/4"


CROWNS




24136-CV-CR
 $\frac{3}{4}" \times 4\frac{1}{4}"$



24168-WHI-CR1
 $\frac{3}{4}" \times 5\frac{1}{4}"$
 PFJ *




26232-CV-CR
 $1\frac{3}{16}" \times 7\frac{1}{4}"$




24104-ITC-CR
 $\frac{3}{4}" \times 3\frac{1}{4}"$

CROWNS & CROWN BACKERS


21




32128-CRB
1" x 4"




26192-CR
1 3/16" x 6"



24168-A-CR
3/4" x 5 1/4"
PFJ *




2480-CRB
3/4" x 2 1/2"




24136-A-CR POP *
3/4" x 4 1/4" PFJ *


CROWNS




1857-CR
9/16" x 125/32"



32232-A-CR
1" x 7 1/4"




24168-QA-CR
3/4" x 5 1/4"



2488-A-CR POP *
3/4" x 2 3/4"

DENTIL CROWNS

23




Hyde Park Lumber and Design Center 3360 Red Bank Rd. Cincinnati, OH 45227


Phone (513) 271-1500 Fax (513) 271-6145 www.hydeparklumber.com

stocked at HPL ★

CROWNS



26168-C-CR PFJ *
 $3\frac{11}{16}$ " x $5\frac{1}{4}$ "




24136-C-CR PFJ *
 $\frac{3}{4}$ " x $4\frac{1}{4}$ "


DENTILS

STOOLS


25




1620-I-D
 $\frac{1}{2}" \times \frac{5}{8}"$




2460-CUT-D
 $\frac{3}{4}" \times 1\frac{7}{8}"$



40104-STOOL $1\frac{1}{4}" \times 3\frac{1}{4}"$



2472-A-STOOL — $\frac{3}{4}" \times 2\frac{1}{4}"$ POP *




2472-STOOL — $\frac{3}{4}" \times 2\frac{1}{4}"$




24136-STOOL — $\frac{3}{4}" \times 4\frac{1}{4}"$ POP *


BED MOULDS



166-WP * PWP *
BORAL
 $1\frac{1}{16}" \times 1\frac{1}{4}"$



167-POP *
 $1\frac{1}{16}" \times 1\frac{3}{4}"$



2448-BM-RFJ *
 $\frac{3}{4}" \times 1\frac{1}{2}"$

HALF ROUNDS




146-WP *
 $\frac{3}{8}" \times \frac{3}{4}"$



1224-T
 $\frac{3}{8}" \times \frac{3}{4}"$




144-WP *
 $\frac{1}{2}" \times 1"$




2448-HR POP *
 $\frac{3}{4}" \times 1\frac{1}{2}"$

SHOE MOULDS



1624-B-SHOE
 $\frac{1}{2}" \times \frac{3}{4}"$




109-WP * PWP *
 $\frac{1}{2}" \times \frac{3}{4}"$



111 $\frac{3}{4}" \times \frac{3}{4}"$

WP *
PWP *
W OAK *
R OAK *




816-WP *
 $\frac{3}{8}" \times 1\frac{3}{8}"$


QUARTER ROUNDS




138A -POP *
 $\frac{3}{8}" \times \frac{3}{8}"$



140-WP *
 $\frac{1}{2}" \times \frac{1}{2}"$




142-WP * PWP *
 $\frac{3}{4}" \times \frac{3}{4}"$




143-POP *
 $1" \times 1"$

MULLS


27




864-M — $\frac{1}{4}$ " x 2"




848-M — $\frac{1}{4}$ " x $1\frac{1}{2}$ "



840-M — $\frac{1}{4}$ " x $1\frac{1}{4}$ "
POP*




832-M — $\frac{1}{4}$ " x 1"




193-WP* — $\frac{3}{8}$ " x $1\frac{3}{4}$ "
Mull Strip


STOPS




1256-STOP — $\frac{3}{8}$ " x $1\frac{3}{4}$ "




1234-STOP — $\frac{3}{8}$ " x $1\frac{1}{16}$ "




1026-STOP — $\frac{5}{16}$ " x $1\frac{3}{16}$ "




1144-STOP — $1\frac{1}{32}$ " x $1\frac{3}{8}$ "
POP*




1644-KW-STOP — $\frac{1}{2}$ " x $1\frac{3}{8}$ "



1640-STOP — $\frac{1}{2}$ " x $1\frac{1}{4}$ "
POP




110-WP* — $\frac{7}{16}$ " x $1\frac{1}{8}$ "
Stop Moulding




176-WP* PPO* — $\frac{7}{16}$ " x $1\frac{3}{8}$ "
Door Stop


TRIM




1840
 $\frac{9}{16}$ " x $1\frac{1}{4}$ "




2424-Q OAK *
 $\frac{3}{4}$ " x $\frac{3}{4}$ "




2323-BEAD POP *
 $2\frac{3}{32}$ " x $2\frac{3}{32}$ "




1416-GB POP *
 $\frac{7}{16}$ " x $\frac{1}{2}$ "




1846 POP *
 $\frac{9}{16}$ " x $1\frac{7}{16}$ "




1624-A OAK * POP *
 $\frac{1}{2}$ " x $\frac{3}{4}$ "




2424-I
 $\frac{3}{4}$ " x $\frac{3}{4}$ "




1624-C OAK *
 $\frac{1}{2}$ " x $\frac{3}{4}$ "




1648
 $\frac{1}{2}$ " x $1\frac{1}{2}$ "




1212-Q (138-A)
 $\frac{3}{8}$ " x $\frac{3}{8}$ " POP *




2024 POP *
 $\frac{5}{8}$ " x $\frac{3}{4}$ "



2424-O
 $\frac{3}{4}$ " x $\frac{3}{4}$ "




2048-KW-PM POP *
 $\frac{5}{8}$ " x $1\frac{1}{2}$ "



2424-C
 $\frac{3}{4}$ " x $\frac{3}{4}$ "



1624
 $\frac{1}{2}$ " x $\frac{3}{4}$ "



3636-O
 $1\frac{1}{8}$ " x $1\frac{1}{8}$ "

MISCELLANEOUS MOULDINGS

29



42-WP — $\frac{1}{4}$ " x $\frac{3}{4}$ " *
Screen Mould




44-WP — $\frac{1}{4}$ " x $\frac{3}{4}$ " *
Screen Mould




816-MAP
 $\frac{1}{4}$ " x $\frac{1}{2}$ "




43-WP — $\frac{3}{8}$ " x $\frac{3}{4}$ " *
Screen Mould




2-WP — $\frac{9}{32}$ " x $1\frac{1}{8}$ " *
Lattice



624-POP *
 $\frac{3}{16}$ " x $\frac{3}{4}$ "



3-WP — $\frac{9}{32}$ " x $1\frac{3}{8}$ " *
Lattice




9445-POP *
9446-R. OAK *
 $\frac{3}{16}$ " x $\frac{3}{4}$ " — Scribe




4-WP — $\frac{9}{32}$ " x $1\frac{3}{4}$ " *
Lattice



32 PWP *
 $1\frac{1}{16}$ " x $1\frac{5}{8}$ "
Barge Mould



31 PWP *
 $1\frac{1}{16}$ " x $2\frac{1}{4}$ "
Barge Mould




30-RDWD *
 $1\frac{1}{16}$ " x $3\frac{1}{2}$ "




265-WP — $\frac{9}{32}$ " x 2" *
Lattice




249-PWP — $1\frac{1}{16}$ " x $1\frac{5}{8}$ " *
Shelf Cleat



8 FIR — $1\frac{3}{8}$ " x $1\frac{3}{8}$ " *




POP — $1\frac{3}{4}$ " x $1\frac{3}{4}$ " *




5-WP — $\frac{1}{2}$ " x $\frac{3}{4}$ " *
Parting Stop


MISCELLANEOUS MOULDINGS




K-404-YP – $\frac{3}{4}$ " x $2\frac{1}{4}$ "
Picture Mould *



4040-ROD – $1\frac{1}{4}$ " Diameter
Closet Rod




177A-WP – $\frac{1}{2}$ " x $1\frac{1}{8}$ "
Cap Mould *




$2\frac{3}{32}$ " x $2\frac{3}{32}$ "
2323-IT-TM
Trim Mould



WM953-YP – $\frac{1}{2}$ " x $1\frac{1}{2}$ " *



165-WP – $\frac{7}{16}$ " x $\frac{9}{16}$ "
Glass Bead *



$\frac{3}{8}$ " x $\frac{3}{4}$ "
1224-KR
Bead Mould




$\frac{1}{2}$ " x $1\frac{1}{4}$ "
1640-1R18
Shoe Mould




$\frac{1}{2}$ " x $1\frac{1}{4}$ "
1640-2RE116
Trim Mould




$\frac{1}{2}$ " x $1\frac{1}{4}$ "
1640-BN
Bull Nose




1" x $1\frac{1}{2}$ "
3248-2RE116
Trim Mould




1" x $2\frac{1}{4}$ "
3272-2RE116
Trim Mould




$1\frac{3}{32}$ " x $1\frac{3}{8}$ "
PFP 1344-STOP
Prime Pine Stop




83-PWP – $1\frac{1}{4}" \times 2"$ *
Brick Moulding




1124-ROPE
 $1\frac{1}{32}" \times \frac{3}{4}"$




512-ROPE
 $\frac{5}{32}" \times \frac{3}{8}"$




1724-ROPE
 $1\frac{7}{32}" \times \frac{3}{4}"$



K-6035
 $1\frac{1}{2}" \times 5\frac{1}{2}"$




85-PWP – $1\frac{1}{16}" \times 1\frac{5}{8}"$ *
Drip Cap




2488-KW-PR
 $\frac{3}{4}" \times 2\frac{3}{4}"$


MISCELLANEOUS MOULDINGS




251-YP — $1\frac{5}{16}$ " x $1\frac{7}{8}$ "
Dust Cap




5117-YP — $1\frac{5}{16}$ " x 2"
Dust Cap




WOHC001 — $1\frac{5}{16}$ " x $2\frac{1}{4}$ "
Primed Dust Cap




190-WP
 $1\frac{1}{8}$ " x $1\frac{1}{8}$ "
Outside Corner



191-WP
 $\frac{3}{4}$ " x $\frac{3}{4}$ "
Outside Corner



$\frac{3}{4}$ 1" x $3\frac{1}{2}$ "
Oak Landing Tread *
32112-34-LTG




K-8080 — $1\frac{1}{32}$ " x $1\frac{1}{4}$ "
Oak Nosing




$\frac{3}{4}$ 1" x $5\frac{1}{4}$ "
Oak Landing Tread *
32168-34-LTG


MANTEL MOULDING




54168-A-MM
1 $\frac{1}{16}$ " x 5 $\frac{1}{4}$ "




K-6010-ST — 2 $\frac{1}{4}$ " x 2 $\frac{3}{8}$ "
RED OAK *



186 FIR — 1 $\frac{1}{2}$ " x 1 $\frac{3}{4}$ "



230 FIR — 1 $\frac{1}{4}$ " x 2"




RW-PORCH RAIL — 1 $\frac{1}{2}$ " x 3 $\frac{1}{2}$ " *

BORAL TRU EXTERIOR TRIM


Boral TruExterior Trim

Also available in 1x 5/4 & 2x




1x6 T&G BEADED BORAL *

1x4 T&G BEADED BORAL *




DURATION BARGE *

D210 7/8" x 1 5/8" x 8'




DURATION BARGE *

D211 15/16" x 2 1/4" x 8'




DURATION DRIP CAP *

D197 1 1/16" x 1 5/8" x 8'




BORAL DRIP CAP *

15/16" x 2 1/4" x 8'




DURATION QTR. *

D105 1 1/16" x 1 1/16" x 8'



BORAL BED *

1 1/16" x 1 1/4"




DURATION BRICK MOULDING *

D180 1 7/32" x 2" x 8'

TONGUE & VEE GROOVES


35




$\frac{3}{4}$ " x $5\frac{3}{8}$ " YP SIDING #104 *



1 x 6 T&G PLANK BACK V-EDGE CLEAR YELLOW PINE *



1 x 6 T&G #2 PINE *




1 x 6 CLEAR YELLOW PINE CAR SIDING W / CENTER V-GROOVE *



1 x 6 T&G CEDAR (DRIED) *




1 x 6 T&G CLEAR PINE BEADED *




1 x10 CEDAR *
CHANNEL RUSTIC


TONGUE & VEE GROOVES



$\frac{3}{4}$ " x $3\frac{1}{4}$ " Fir Flooring *




$\frac{9}{16}$ " x $\frac{3}{4}$ " YP & Fir Beaded Ceiling *




$\frac{3}{4}$ " x 3" Bead



$\frac{3}{8}$ " x 3" Bead



$\frac{5}{16}$ " x $3\frac{1}{2}$ " Edge-V Knotty Pine



$\frac{9}{16}$ " x $\frac{3}{4}$ " Windsor one protected Pine Primed Beaded Ceiling *

TONGUE & VEE GROOVES

37




$\frac{3}{4}$ " x 5" Tongue & Vee Groove



$\frac{3}{4}$ " x 4" Tongue & Vee Groove




$\frac{3}{4}$ " x 3" Tongue & Vee Groove




1 x 4 YP REVERSIBLE CEILING / FLOORING *



24224-QRK-TAG $\frac{3}{4}$ " x 7" (face) Tongue & Groove



1 x 10 NICKEL GAP SHIP LAP PWP (Actual size $\frac{9}{16}$ " X $9 \frac{3}{8}$ ") *



1 x 8 NICKEL GAP SHIP LAP 2KP PWP (Actual size $\frac{9}{16}$ " X $7 \frac{1}{8}$ ") *




1 x 8 PRIMED REVERSABLE NICKEL GAP (Actual size $\frac{3}{4}$ " X $7 \frac{1}{4}$ ") *
WOSN8TR - 1- SIDE SMOOTH 1-SIDE ROUGH SAWN


Hyde Park Lumber and Design Center 3360 Red Bank Rd. Cincinnati, OH 45227

Phone (513) 271-1500 Fax (513) 271-6145 www.hydeparklumber.com stocked at HPL *

TONGUE & VEE GROOVES




1 x 8 T&G #2 PINE *




1 x 8 T&G PLANK BACK V-EDGE CLEAR YELLOW PINE *




1 x 6 T&G WINDSOR ONE PROTECTED PRIME




1 x 6 T&G PRIMED FIR *




18M112-CA —18mm x 3½"




18M72-A-CA —18mm x 2¼"




18M112-UL-CA —18mm x 3½"



18M112-C-CA —18mm x 3½"




21112-PL-CA — 21/32" x 3½"




25M112-CA —25mm x 3½"


PRIMED ULTRA LIGHT



WC16
15mm x 5"




SBW4 MDF Wainscoting *
19/32 x 5 1/4 Reversible
Single T&V Groove / T&V Beaded




25M112-H-CA
25mm x 3 1/2"

PRIMED ULTRA LIGHT


41




15M96-TVG-BD
15mm x 3" FACE



15M232-CB
15mm x 7¼"




15M168-CB
15mm x 5¼"



15M136-CB
15mm x 4¼"




15M48-CB-CAP
15mm x 1½"




15M104-CB
15mm x 3¼"


PRIMED ULTRA LIGHT




15M232-E-B
15mm x 7 $\frac{1}{4}$ "




15M168-E-B
15mm x 5 $\frac{1}{4}$ "




16296-VS-CB
 $\frac{1}{2}$ " x 9 $\frac{1}{4}$ "



PRIMED ULTRA LIGHT






25M224-CO-CR
25mm x 7"


18M232-RB-BCR
18mm x $7\frac{1}{4}"$

25M202-OG-CR
25mm x $6\frac{5}{16}"$


46 DECORATIVE CROWN CORNER BLOCKS




POP 112-RD-ICB 412
3½" x 3½" x 4½"



POP 128-RD-ICB 5
4" x 4" x 5"




POP 144-RD-ICB 512
4½" x 4½" x 5½"




POP 176-RD-ICB 612
5½" x 5½" x 6½"

BLOCKS


47




Circle Casing Block *




Casing Block




Keystone



Inside Corner Block *




Outside Corner Block *




Plynth Block *


JAMBS & ACCESSORIES




Flat Jamb *




4064-BR — $1\frac{1}{4}$ " x 2"




Reeded Jamb



4072-T — $1\frac{1}{4}$ " x $2\frac{1}{4}$ "




Fluted Jamb




Raised Panel Jamb

FLEXIBLE MOULDINGS


49




2244-B *
 $1\frac{1}{16}" \times 1\frac{3}{8}"$
SMOOTH




1624-A *
 $\frac{1}{2}" \times \frac{3}{4}"$
SMOOTH



111-OAK *
 $\frac{3}{4}" \times \frac{3}{4}"$
OAK GRAIN



83- $1\frac{1}{4}" \times 2"$ *
Brick Moulding 3' & 6' Diameter 1/2 Round




$\frac{3}{4}" \times 5\frac{1}{2}" \times R/L$ SMOOTH

Over 3000 different casings, base and crown profiles available. In addition to the stock items listed above, many items are available for quick delivery.

Hyde Park Lumber and Design Center 3360 Red Bank Rd. Cincinnati, OH 45227

Phone (513) 271-1500 Fax (513) 271-6145 www.hydeparklumber.com stocked at HPL *

PVC MOULDINGS




Hyde Park Lumber and Design Center 3360 Red Bank Rd. Cincinnati, OH 45227

Phone (513) 271-1500 Fax (513) 271-6145 www.hydeparklumber.com


stocked at HPL *

PVC MOULDINGS


51




AZM-6934 *
2 $\frac{1}{16}$ " x 1 $\frac{3}{32}$ "



AZM-6930 *
1 $\frac{3}{4}$ " x 2 $\frac{1}{32}$ "




AZM-6933 *
1 $\frac{7}{32}$ " x 1 $\frac{1}{2}$ "




AZM-287 *
1 $\frac{1}{16}$ " x 2"




AZM-197 *
1 $\frac{1}{16}$ " x 1 $\frac{5}{8}$ "




AZM-180 *
1 $\frac{1}{4}$ " x 2"




$\frac{5}{8}$ " x 4" Beaded Ceiling




AZM-236 *
1 $\frac{1}{2}$ " x 1 $\frac{1}{2}$ "



AZM-284
1" x 2 $\frac{1}{4}$ "





9469-Exterior Sill *




9470-Sill Nose *


PVC MOULDINGS




AZM-606
 $1\frac{5}{16}" \times 5\frac{1}{4}"$



AZM-6216
 $2\frac{13}{32}" \times 1" \times 7\frac{1}{8}"$






AZM-163
 $\frac{3}{4}" \times 5\frac{1}{4}"$



AZM-6937
 $2\frac{3}{4}" \times 1\frac{3}{8}"$


ROYAL MOULDINGS

COLONIAL CASING — $1\frac{1}{16}$ " x $2\frac{1}{4}$ "STOP — $\frac{5}{8}$ " x $\frac{5}{8}$ "QUARTER ROUND *
 $\frac{1}{2}$ " x $\frac{1}{2}$ "



4096-BAR-1 $\frac{1}{4}$ " x 3"


56144-BAR -1 $\frac{3}{4}$ " x 4 $\frac{1}{2}$ "



Arched casings and convex or concave bases, crowns and chair rails are available in various profiles on a per order basis.

PEDIMENT HEAD DESIGN IDEAS

Adding a pediment head is a simple way to dramatically transform any architectural door or window opening.



Choose from a variety of S4S widths to create a pediment appropriate for your individual ceiling height.